
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



WHOLE SALE PRICE LIST

February 15, 1943




APR 1 3 1943 *

3. 8. Depressed a Agricultur

ILGENFRITZ'

SONS CO.

The Monroe Mursery MONROE, MICHIGAN.



CONDITIONS OF SALE

- PRICES in this list cancel those in all previous price lists and are subject to change without notice. All sales and contracts are made subject to crop loss or loss through other causes over which we have no control.
- TERMS: Cash, unless credit has been established, when accounts are due thirty days from invoice date.

Past due accounts bear 6 per cent interest from maturity.

- CLAIMS will be entertained only when made in writing within ten days after arrival of goods.
- GUARANTEE: If any nursery stock proves untrue to name, we will replace it or refund the money but in no case are we responsible for more than the amount originally paid.

SHIPPING INFORMATION

SHIPPING FACILITIES—Railroads—Michigan Central, N. Y. C., Pere Marquette, Grand Trunk.

Trucks—Associated Truck Lines, Michigan Motor Freight, Norwalk Truck Lines, and our own trucks.

PACKING will be added to the listed prices at cost.

BOXING CHARGES will be added as follows:

30	x	30	inchessix	feet	4.00
24	х	30	inchessix	feet	3.50
24	х	24	inchessix	feet	3.00
20	x	20	inchessix	feet	2.25

For longer boxes add 75c for each two feet.

Paper lining extra at cost.
Bales 35c to \$4.00 according to size.

SHIPMENT—Our responsibility for delivery of stock ends when shipment has been delivered in good condition to the transportation company. If stock is not received in good condition, any claim for adjustment of loss or damage is a matter between the consignee and carrier.

DISTANCE from important cities within a 300 mile radius

Cleveland								 									 132	miles
Columbus																		
Cincinnati								 									 220	miles
Chicago .								 			 						 255	miles
Pittsburgh								 									 260	miles

NURSERY LOCATION—On U. S. 24 Monroe, Michigan. 40 miles south of Detroit—20 miles north of Toledo. Office — 708 E. Front St.

INDEX

	Page
B & B Schedule	46
Broadleaved Evergreens	33
Evergreens	27-33
Fruit Trees	41-44
Perennials	38-40
Roses	36-37
Shade Trees	17-26
Shrubs	1-16
Small Fruits	44-45
Vines	34-35

ORNAMENTAL SHRUBS

	l to 9 Each	10-29 Each	30 to 249	
ACANTHOPANAX—Aralia	racu	Lach	Each	Each
pentaphyllum 8' June				
Bright green leaves, arching branches, prickl	у.			
Good in poor soils.				
2-3'		.27	.24	
3-4′		.36	.32	
4-5'		.45 .50		
5-6	.00	.50		
ALMOND				
Prunus glandulosa 6' May				
Very double, rose like flowers cover the				
branches before the leaves are out.				
Double pink				
18-24"		.28	.25	
2-3'	.40	.38	.35	
Double white	0.5	0.1		
18-24"		.31 .40		
2-3'	.45	.40		
ALTHEA				
Hibiscus syriacus 12' August-September				
Large shrub for specimen or group planting.				
Blooms when few other shrubs are showing				
flower.				
Anemonaeflorus, double pink				
Ardens, double violet				
Boule de feu, double red				
Joan d'Arc, double white				
Shrubform 2-3'	20	.18	.16	
3-4'		.18	.24	
Treeform	.50	.47	.24	
3-4'	40	.36	.32	
4-5'		.45	.40	
AMELANCHIER—Juneberry				
canadensis—30' May				
White flowers, purple fruit in June.				
2-3'		.45	.40	
3-4'	.60	.55	.50	
ARALIA pentaphyllum				
See Acanthopanax				
See Acanthopanax				
ARONIA—Chokeberry				
brilliantissima 8' April-May				
Large, brilliant, red berries.				
18-24''		.27	.24	
2-3'	.40	.36	.32	

SHRUBS		THEMC	NHOEN	URSERY
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
ARONIA				
melanocarpa 6' April-May				
Shiny black fruit. Good in shade.	0.5	00	00	
18-24''		.22 .31	.20 . 28	
2-3	55	.51	.20	
BERBERIS—Barberry mentorensis—MENTOR BARBERRY 5' Plant Patent No. 99				
Deep green foliage, turning coppery bronze in late Fall. Half evergreen in this climate.		.35	.30	
18-24"	45	.33	.30	
Suggested Retail Prices 3 12 100				
15-18" 1.50 4.50 30.00				
18-24"2.00 6.00 40.00				
thunbergi—JAPANESE BARBERRY 5' Much used for hedges because of bushy growth and protecting thorns. Brilliant fall color, red berries. Excellent for shady locations. 15-18" 18-24"	12	.11 .13	.10 .12	.09 .11
2-21/2'	20	.18	.16	.14
thunbergi atropurpurea 5' REDLEAF BA Plant in sunny places for best color. Will add pleasing color contrast to any planting. 12-15"	15	.13 .18 .22	.12 .16 .20	.14 .18
thunbergi erecta—TRUEHEDGE COLUMNBE For formal hedges, no shearing required. Very upright growth. Plant Pat. No. 110 12-15'	20	.18 .22	.14 .17	
	25	.22	.17	
Suggested Minimum Retail Prices. Each 5 Rate 25 Ra 12-15"40 .30 .24				
15-18''				
Buckthorn see RHAMNUS				
BUDDLEIA—Butterflybush CHARMING BUTTERFLYBUSH New pink variety, blooming all summer	,			
large spikes. No. 1	25	.22	.20	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
BUDDLEIA—Butterflybush				
ILE DE FRANCE 5'				
Dark claret-purple flowers, medium high				
continuous bloomer.	,			
No. 1	25	.22	.20	
CALLICARPA—Beautyberry				
purpurea 5' August				
Clusters of violet berries.				
2-3'		.22		
3-4'	35	.31		
CALYCANTHUS—Sweetshrub				
floridus—CAROLINA ALLSPICE 5' June				
Fragrant, chocolate colored flowers, glossy	•			
leaves, thrives in shady locations.	25	0.1	00	
2-3	33	.31	.28	
CARAGANA—Peatree				
arborescens—SIBERIAN PEATREE 12' M	T			
Bright yellow pea-shaped flowers, strong				
grower.				
2-3'	25	.22	.20	
3-4'		.27	.24	
	50	.27	.24	
CEPHALANTHUS—Buttonbush				
occidentalis 6' July				
Prefers moist soils. Balls of small white				
flowers.				
3-4'		.30	.25	
4-5'	40	.36	.32	
COLUTEA—Bladder Senna				
arborescens 15' June				
Pea shaped yellow flowers, large seed				
pods.				
4-5'	40	.35	.30	
5-6'		.45	.00	
CORNUS—Dogwood				
alba siberica—TARTARIAN DOGWOOD	10' Apı	ril-May		
Bright red branches, white flowers.				
2-3'	25	.22	.20	
3-4'	30	.27	.24	
4-5'	40	.36	.32	
5-6'	50	.45	.40	
alba elegantissima—SILVER DOGWOOD	8'			
Silver and green leaves on red stems.				
2-3'		.35	.30	
3-4'		.41	.36	
alternifolia—BLUE DOGWOOD 25' May	June			
Horizontal branches, dark blue berries.				
3-4'	50	.45	.40	
4-5'				

	1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CORNUS—Dogwood	Eden	Lucii	Lucii	Lucii
amomum—SILKY DOGWOOD 10' June-	Tulv			
Purplish red twigs, dark green foliage,				
silky underneath.				
2-3'		.22	.20	
3-4'		.27 .36	.24	
4-5'		.67	.32	
	, 0	.07		
baileyi—BAILEY DOGWOOD Dark red branches, white berries, good fal	1			
color.	1			
2-3'	25	.22	.20	
3-4'		.27	.24	
4-5'		.36	.32	
5-6'	45	.40		
mascula—CORNELIAN CHERRY 20' Ma		il		
Yellow flowers in umbels before the leaves appear. Edible, scarlet fruit 34" long.	3			
3-4'	.95	.85	.75	
4-5'		,,,,	., •	
5-6'	.1.50			
sanguinea—BLOODTWIG DOGWOOD 12	2' May	-June		
Purple or dark red branches, black fruit.				
4-5'		.36	.32	
5-6'	50	.45	.40	
stolonifera—RED OSIER DOGWOOD 8'		ne		
Dark red branches, white flowers and fruit	,			
spreading habit. 2-3'	25	.22	.20	
5-6'		.45	.40	
stolonifera flaviramea—YELLOWTWIG DO			ay-June	
A yellow branched form of Stolonifera.	<i>7</i> G W O O	D 0 1vi	ay-june	
2-3'	25	.22	.20	
3-4'	30	.27	.24	
CORYLUS—Hazel or Filbert				
americana—AMERICAN HAZELNUT 10'				
Thrives in shady locations, upright growth	١.			
edible nuts.				
2-3'		.31	.28	
3-4'		.41	.36	
4-5'		.54	.48	
5-6'		.75 1.00		
	1.10	1.00		
COTONEASTER	,			
acutifolia—PEKING COTONEASTER 12' Good hedge shrub, dark green leaves, blac'				
fruit, red and yellow fall foliage.	K.			
2-3'	25	.22	.20	
3-4'		.31	.28	.24
4-5'	45	.41	.36	

THE MONROE NORSERT				SIIIIODS
	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
COTONEASTER				
divaricata—SPREADING COTONEASTER Pink flowers, branches studded with red		ne		
fruit in fall and winter. Arching branches.	E 0	.45	40	0.5
3-4'		.45 .67	.40 .60	.35 .50
4-5'		.90	.80	.50
5-6'		1.12	1.00	
foveolata—10' May-June A fine massive shrub for screening. Heavy, glossy leaves, black berries, orange and scarlet foliage in fall.				
2-3'		.45	.40	
3-4'		.67	.60	
4-5'	.1.00	.90	.80	
hupehensis—HUPEH COTONEASTER 6' Hardy, upright growing shrub, one of the best Cotoneasters in bloom.		00	0.0	
4-5'	. 1.00	.90	.80	
racemiflora soongarica—4' May Abundance of large red berries, grayish foliage. 4-5'	1.00	.90	.80	
5-6'		1.35	1.20	
CYDONIA—(CHAENOMELES) japonica—JAPAN FLOWERING QUINCE (Clusters of scarlet flowers. Much noticed in spring, large fragrant fruits. 15-18"		rch-April	.16	
18-24''	25	.22	.20	.18
2-3'	35	.31	.28	.24
maulei—LESSER FLOWERING QUINCE 3' Low spreading shrub, orange flowers, yellow fruit.		h-April		
15-18"		.18	.16	.14
18-24"		.22	.20	.18
2-3'	35	.31	.28	
DAPHNE				
cneorum—GARLAND FLOWER 1' April-I Dwarf evergreen shrub. Rosettes of fragrant pink flowers in spring and often again in fall.				
6-9" B&B		.55 .75	.50 .70	
DEUTZIA				
gracilis—SLENDER DEUTZIA 3' May				
Graceful dwarf shrub. Snow-white flowers.				
12-15"	25	.22 .27	.20 .24	
Ę				

SHRODS	THE MC	MICLI	OHSLILI
l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
DEUTZIA			
gracilis roseα—ROSE PANICLE DEUTZIA 5' Slightly larger growing with pink flowers. A good border plant. 18-24''	.31	.28	
2-3'	.36	.32	
lemoinei—LEMOINE DEUTZIA 5' May Semi-dwarf. Creamy white flowers. 15-18"	.18		
18-24''	.22	.20	
scabra—PRIDE OF ROCHESTER 10' May Double white flowers, tinged pink. 2-3'	22	20	
	.22	.20	
3-4'	.27	.24	
DIERVILLA sessifolia—SOUTHERN BUSH HONEYSUCKLE 4'	June-July		
Leaves resembling Weigela, yellow flowers, spreading.	june-jury		
18-24"	.20		
2-3'	.25		
ELAEAGNUS—Oleaster angustifolia—RUSSIAN OLIVE 20' June Silvery foliage, yellowish white fragrant flowers. Large gray fruit.			
3-4'	.30	.25	
4-5'	.40	.30	
5-6'	.45		
argentea—SILVERBERRY 12' May Silvery leaves, fragrant flowers, spineless.			
4-5'	.45	.40	
5-6'	.54	.48	
umbellata 12' May-June Oval scarlet fruit, green leaves.			
4-5'	.41	.36	
5-6'	.45	.40	
EUONYMUS—Spindle-Tree alata—CORKBARK EUONYMUS 10' May-June Winged branches, small yellowish flowers, red fruits. Crimson fall foliage.			
2-3'	.58		
3-4'	.75		
atropurpurea—BURNING BUSH 20' June Scarlet fruit in October.			
2-3'	.30	.25	
3-4'	.40 .45	.30	

FILONYMUC Coin do Tros	to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
EUONYMUS—Spindle Tree bungeana—WINTERBERRY EUONYMUS Large leaves, orange seeds.	15' Jur	ne		
4-5'		.45 .54	.40 .48	
europaeα—EUROPEAN BURNING BUSH Large shrub or small tree, Yellow flowers pink fruits hang on long after foliage ha dropped.	3;	e		
2-3'	45	.30 .40 .45 .55	.25 .30 .40 .50	
radicans—WINTERCREEPER 15' Can be used as vine for edging or groun cover. Evergreen.				
12-15"		.27 .31	.24 .28	
radicans vegetus—BIGLEAF WINTERCREE Large glossy green foliage, scarlet berries Evergreen.				
12-15''		.35 .40	.30 .35	
yedoensis —YEDDO EUONYMUS 15' Pink and orange fruit, bright fall coloring				
2-3'	50	.36 .45	.32	.28 .35
EXOCHORDA—Pearlbush	60	.54	.48	
grandiflora 10' May-June Pearl like buds, pure white flowers. Prefer moist soil.	s			
3-4'		.45 .49	.40 .44	
FORSYTHIA—Goldenbell				
Dwarf variety 3' Compact growing. 18-24" 2-2½'		.27 .36	.24 .32	
intermedia—BORDER FORSYTHIA 8' A		.31	.28	
intermedia spectabilis—SHOWY BORDER Profuse yellow flowers in early spring.	FORSYTI	HIA 8'	April	
3-4'		.31 .45	.28 .40	
suspensa 6' April Drooping habit, excellent for massing an	d			
planting on banks. 2-3' 3-4'		.22 .31	.20 .28	

SIIIOBS		THE MO	MICLI	OHDBR
	to 9 lach	10 to 29 Each		
FORSYTHIA—Goldenbell suspensa fortunei—FORTUNE FORSYTHIA Upright shrub with slightly drooping	8' A	April		
branches. 3-4'	.35	.31	.28	
HALESIA—Silverbell tetraptera—40' April Bell-shaped white flowers, winged fruit. 2-3'		.36 .45	.32 .40	
4-5'	.60	.55	.50	
HAMAMELIS—Witch Hazel virginiana—COMMON WITCH HAZEL 15' Yellow fringe-like flowers, appear after foliage has dropped. The dark brown seeds add to its attraction.				
2-3'	.50	.36 .45 .54	.32 .40 .48	
HIPPOPHAE—Sea Buckthorn	.00	.54	.40	
rhamnoides—20' Silvery foliage, orange berries.				
3-4'		.36 .45	.32 .40	
HIBISCUS hibiscus syriacus 12' August-September Blooms when no other shrub is showing flower. Large shrub for specimen or group				
planting. Anemonaeflorus, double pink Boule de feu, double red Ardens, double violet Joan d'Arc, double white				
Shrubform 2-3' 3-4'		.18 .27	.16 .24	
Treeform 4-5'	.50	.45	.40	
HONEYSUCKLE—See LONICERA				
HYDRANGEA arborescens grandiflora—SNOWHILL HYDR	ANG	EA 5′ Ju	ıne-July	
Large heads of white flowers. 18-24" 2-3'		.27 .31	.24	
paniculata grandiflora—PEEGEE HYDRANG Enormous trusses of white flowers changing to pink and bronze in fall.			.26 t-Septemb	er
18·24"		.22 .27	.20	

KOLKWITZIA	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
amabilis—BEAUTYBUSH 8' May Arching sprays of pink flowers. 3-4'	65	.60		
LIGUSTRUM—Privet amurense—AMUR PRIVET 12' Very hardy hedge plant.				
18-24"		.09 .11	.08 .10	.07 .09
ibolium—IBOLIUM PRIVET 8' Hardy privet with glossy leaves. 18-24''	10	.09	.08	.07
2-3'		.11	.10	.09
ibota—IBOTA PRIVET 8' Spreading habit, arching branches, covere with black berries in the fall. 2-3'		.13	.12	
ibota regelianum—REGEL PRIVET 8' A low spreading form which retains th		.13	.12	
berries all winter. 18-24'' 2-2½'		.27 .30	.24 .27	.21 .25
ovalifolium—CALIFORNIA PRIVET 12' Almost evergreen. Glossy foliage. Les hardy than Amur Privet. 18:24"	10	.09	.08	.07
2-3'	12	.11	.10	.09
LILAC—See SYRINGA				
LONICERA—Honeysuckle fragrantissima—WINTER HONEYSUCKLE Spreading shrub with deep green almost evergreen foliage. Fragrant cream-colored flowers.	st	rch-April		
2-3'		.22 .30	.20 .25	
halleana—see Vines				
korolkovi—BLUELEAF HONEYSUCKLE 10 Blue foliage, pink flowers, red and orange berries.		l-May		
2-3'		.40 .54	.36 .48	
morrowi—MORROW HONEYSUCKLE 6' Yellowish white flowers and red fruit. Low spreading habit.		ine		
3-4'		.3 0 .35		
sempervirens—see VINES				

SIMODO	1111111111	ONKOLK	ORBERT
l to 9 Each	10 to 29 Each		250 & Up Each
LONICERA—Honeysuckle			
syringantha 3'			
Creeping shrub with lilac flowers.			
18-24''	.36	.32	
2-3'	.45	.40	
tatarica alba—WHITE TATARIAN HONEYSUCKLI Upright grower, creamy flowers, red berries.	E 12' A	April-May	
2-3'	.22	.20	
3-4'	.27	.24	
DINIZ TATADIAN HONEVCHOVI D	10′ =	11.3.4	
tatarica rosea—PINK TATARIAN HONEYSUCKLE Best known pink-flowering honeysuckle.			
3-4'	.27	.24	
4-5'	.41	.36	
tatarica siberica—RED TATARIAN HONEYSUCKL A red-flowering variety.	E 12'	April- May	
2-3'	.22	.20	
3-4'	.27	.24	
4-5'	.41	.36	
MAHONIA—Hollygrape aquifolium—OREGON HOLLYGRAPE 5' May Likes shady location. The shiny dark green leaves turn bronze in Fall and remain on the stems all Winter. Blue berries. 15-18" B&B	1.35 1.55		
2-3'	.22	.20	
3-4'	.27	.24	
4-5'	.31	.24	
coronarius aureus—GOLDEN MOCKORANGE 5' A smaller, yellow-leaved variety 25 12-15" .25 15-18" .35	May-Jun	e	
gordonianus—GORDON MOCKORANGE 8' June	o Inda		
Bears a profusion of white flowers, slightly	e-july		
fragrant.			
2-3'	0.0	20	
3-4'	.22	.20	
	.27	.24	
4-5'	.31	.28	
lemoinei — LEMOINE MOCKORANGE 5' May Semi-dwarf, dense racemes of small frag- rant white flowers.			
18-24''	.27	.24	
2-3'	.31	.28	
		.20	
Mont Blanc-MOUNT BLANC MOCKORANGE 5'	Мау		
Double white flowers.			
18-24"	.22	.20	

1 to 9	10 to 29	30 to 249	250 & Up
PHILADELPHUS—Mockorange	Each	Each	Each
virginale—VIRGINAL MOCKORANGE 8' May Very large, semi-double fragrant white	-June		
flowers. 2-3'	.36 .45	.32 .40	
PHYSOCARPUS—Ninebark opulifolius—COMMON NINEBARK 10' May-Ju Thrives in partial shade, fast growing, at- tractive red seedpods.	ne		
2-3'	.18 . 25 .36	.15 . 20 .32	
opulifolius aureus—GOLDEN NINEBARK 10' M A yellow leaved variety.	lay-June		
2-3' .20 3-4' .30 4-5' .40	.18 .25 .36	.15 .20	
opulifolius nanus—DWARF NINEBARK 5' Compact shrub with small leaves, excellent for hedges. 18-24''	.22	.20	
2-3'	.2 7 .31	.24 .28	.25
PRUNUS—see also trees. americana—AMERICAN PLUM 20'			
Attractive large fruit, edible. 5.6' .50 6-8' .75 8-10' 1.00	.45 .67 .90	.40 .60 .80	
Very double, rose-like flowers cover the branches before the leaves are out. Double	May		
pink. 18-24"	.28 .38	.25 .35	
glandulosa alba—WHITE FLOWERING ALMOND Double White. 18-24"	.31 .40		
pissardi—see TREES			
triloba—see TREES			
tomentosa—NANKING CHERRY 8' April-May Light pink flowers before leaves appear. Covered in June with small cherries.	00	00	
2-3'	.36 .45 1.10	.32 .40 1.00	

Dilitobs	1111111111	7111102 11	01102111
I to 9 Each	10 to 29 Each	30 to 249 Each	250 & U p Each
RHAMNUS—Buckthorn			
cathartica—COMMON BUCKTHORN 12' June Vigorous shrub, loaded with black berries			
in fall. 3-4'	.25 .30 .36	.20 .25 .32	
frangula—GLOSSY BUCKTHORN 12' June Shiny leaves, thornless branches, fine for			
high hedges. 3-4' .30 4-5' .40 5-6' .50 6-8' .75 8-10' 1.25	.25 .36 .45 .65 1.10	.20 .32 .40	
RHODOTYPOS kerrioides—JETBEAD 6' April-May Light green foliage, white flowers followed by black fruits. Good shrub for shady			
places. 18-24'' 2-3' 35 3-4' 45	.22 .31 .41	.20 .28 .36	.25 .31
RHUS—Sumac canadensis—FRAGRANT SUMAC 6' April-May Valued for its orange and red fall-color. Low spreading habit.			
18-24"	.27 .36	.24 .32	
cotinus—PURPLE FRINGE 12' July-August Also called Smoketree because the feathery purple flowers give the effect of smoke.			
18-24" .40 2-3' .50 3-4' .60 4-5' .70	.35 .45 .55 .60	.30 .40 .50 .55	.28 .35 .45 .50
copallina —SHINY SUMAC 12' Brilliant autumn coloring. 18-24''	.27	.24	
DIDEC G			
RIBES—Currant alpinum— ALPINE CURRANT 7' May Oense shrub, scarlet fruit.			
18-24"	.27 .31	.24 .28	
ROBINIA			
hispidaROSE ACACIA 4' May Rose colored flowers.			
2-3'	.36	.32	

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SAMBUCUS—Elder			Lacii	Lucii
canadensis aurea—GOLDEN ELDER 10' Yellow leaves, white flowers.	June-Ju	ıly		
3-4'	30	.25		
SPIRAEA				
Anthony Waterer Spirea 3' June-Septem Flat red flower heads.	ıber			
l5-18"	25	.22	.20	
18.24"		.27	.24	
billiardi—BILLIARD SPIREA 6' July-Sep Dense panicles of pink flowers.	tember			
2-3'	25	.22	.20	
douglasi 6' July-September Pink flowers in panicles.				
2-3'		.22	.20	
3-4'		.27	.24	
froebeli—FROEBEL SPIREA 4' May-June Similar to Anthony Waterer Spirea, slightl	y			
larger, foliage color in autumn. 15-18"		.22	.20	
18-24"		.27	.24	
thunbergi—THUNBERG SPIREA 4' Apri Dwarf plant with graceful arching branches				
pure white flowers and dainty light gree				
leaves. 18-24''	25	.22	.20	
2-3'		.27	.24	
van houttei—VAN HOUTTE SPIREA 10' A beautiful sight when the arching branch		ау		
es are loaded with clusters of snow-whit				
flowers. 2-3'	15	.13	.12	.10
3-4'		.18	.16	.14
SYMPHORICARPOS—Snowberry				
chenaulti—IMPROVED CORALBERRY 5' Drooping branches, dainty small leaves, re-		ıly		
berries. Holds foliage very late.		00	0.0	10
2-3'		.22 .27	.20 .24	.18 .21
racemosus—SNOWBERRY 6' June-July				
Large white berries which remain after the foliage has dropped.				
2-3'		.18 .22	.16 .20	.14
3-4'	25	.22	.20	
Bunches of red berries follow the small pin	k			
flowers. 2-3'	20	.18	.15	
3-4'	25	.22	.20	.18

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SYRINGA—Lilac				
persicα—PERSIAN LILAC 10' April-M				
Small narrow leaves. Large clusters of lilac colored flowers.		0.1	20	
2-3'		.31 .41	.28 .36	.32
4-5'		.54	.50	.02
villosa—LATE LILAC 8' June Delicate pink flowers, large leaves.				
2-3'		.22 .31	.20 .28	
vulgaris—COMMON PURPLE LILAC 18' Free bloomer, vigorous grower.	April-N	May		
18-24	20	.18	.16	
2-3'	30	.27	.24	
3-4'		.36	.32	
4-5'		.54	.48	
5-6'	75	.68	.60	
vulgaris alba—COMMON WHITE L!LAC l Single white flowers.	8' Ap	ril-May		
2-3'	40	.36	.32	
3-4'	50	.45	.40	
4-5'	60			
HYBRID LILACS Single white. Double white. Single dark red. Single light red. Double light red, fading to blue. 2-3' 3-4'		.45 .65		
TAMARIX				
africana—AFRICAN TAMARIX 12' May				
Reddish-brown bark, pink flowers.				
3-4'	30	.27	.24	
amurensis—AMUR TAMARIX 12' June-Ju	uly			
Blue foliage, rosy-pink flowers. 3-4'		.27	.24	
VIBURNUM				
americana—AMERICAN CRANBERRYBUSH Yellow berries which turn red; also valued for the reddish fall color of the foliage.		April-May	•	
2-3'	45	.41	.36	.32
3-4' 4-5'	55	.50 .54	.45	.40
carlesi-FRAGRANT VIBURNUM 5' Mag				
Very fragrant, pink-flushed flowers. 15-18" B&B				

.21 .28
.28 .40
.28
.25 .32 .42
.25 .32

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
WEIGELA				
Abel Carriere—ABEL CARRIERE WEIG Red flowers, good bloomer.	ELĀ 6'	Мау		
2-3'	25	.22	.20	
3-4'	35	.31	.28	
Eva Rathke —REDFLOWERING WEIGEL <i>A</i> Deep red, trumpet shaped flowers.	5′ M o	ay-June		
18-24"	30	.25	.20	
2-3'	35	.30	.25	
floribunda—CRIMSON WEIGELA 8' M Much stronger grower than Eva Rathke. R flowers.	ed			
2-3'	30	.27	.24	
rosea—PINK WEIGELA 8' May-June Pink flowers, erect grower.				
18-24''	20	.18		
2-3'	25	.22	.20	
3-4'	35	.31	.28	

SHADE TREES

All trees are priced bare root unless marked B&B.

	a p.1002 2010 100.	1 to 9	10 to 29	30 to 249	250 & Up
ACER-	Maple	Each	Each	Each	Each
	arpum—SILVER MAPLE 80'				
	growing tree, leaves silvery unde 8-10'	. 1.00	.90	.80	
	$1\frac{1}{4} \cdot 1\frac{1}{2}$ " $1\frac{1}{2} \cdot 1\frac{3}{4}$ " $1\frac{3}{4} \cdot 2$ " $2 \cdot 2\frac{1}{2}$ " $2\frac{1}{2} \cdot 3$ " $3 \cdot 3\frac{1}{2}$ " $3\frac{1}{2} \cdot 4$ " $4\frac{1}{2} \cdot 4$ " $4\frac{1}{2} \cdot 5$ "	1.50 2.00 2.50 3.00 3.75 5.00	1.10 1.35 1.80 2.25 2.70	1.00 1.25 1.60 2.00	
	rpum wieri—WIER MAPLE 80'				
Droopi	ng branches, cut leaves. 8-10' 1 \(^{1}\lambda_{-1}\lambda_{2}''\) 1 \(^{1}\lambda_{-1}\lambda_{4}''\) 1 \(^{1}\lambda_{-2}''\) 2 \(^{1}\lambda_{2}''\) 2 \(^{1}\lambda_{2}\lambda_{3}''\)	1.50 1.75 2.25 2.75	.90 1.35 1.60	.80 1.20 1.40	
ginnal	—AMUR MAPLE 25'				
	y colored leaves in fall. 4-5'		.6 0 .90	.55 .80	
	do—BOXELDER 50' green foliage, fast growing. 8-10'	1.25 1.75	.90		
palmat	um atropurpureum—JAPANESE BLC	ODLEAF	MAPLE	15'	
trast. \	d graceful specimen tree for color con Tery popular. 5" pots 12-18"				
platan	oides NORWAY MAPLE 50'				
Broad,	round top. Fine for street planting. $1\frac{1}{4} \cdot 1\frac{1}{2}$ "	.3.00	2.25 2.70 2.90 3.40	2.00 2.40 2.60 3.00	1.75 2.10
Scarlet	n—RED MAPLE 75' fall foliage, light bark.				
clumps	4-5'		.90 1.10		

I II E MIC	N A O E N	UNSERI
10 to 29 Each	30 to 249 Each	250 & Up Each
.90	.80	
.90		
.54 .90 1.10 1.60 1.80 2.25 2.70	.48 .80 1.00 1.40 1.60 2.00 2.40	1.75
.67 .80 1.10 1.80	1.60	
.45	.40	
.68	60	.50
	.90 .90 .90 .90 .90 .90 .90 .90 .90 .90	.90 .80 .90 .80 .90 .80 .90 .80 .90 .80 .10 1.00 1.60 1.40 1.80 1.60 2.25 2.00 2.70 2.40 .67 .80 1.10 1.80 1.60 1.80 1.60

THE TROUBLE NO HOLDER!			TILLED
l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CELTIS			
occidentalis —HACKBERRY 50' A hardy shadetree with broad top.			
$\begin{array}{cccccccccccccccccccccccccccccccccccc$.90 1.30 1.80 2.20	.80 1.20 1.60 2.00	
CERCIS—Redbud			
canadensis—AMERICAN REDBUD 30' April Clusters of red flowers before the leaves appear.			
3-4' .50 4-5' BB 2.25 5-6' BB 3.00	.45 2.00		
CORNUS			
floridaWHITE FLOWERING DOGWOOD 30' Name Large white flowers.	May		
3-4' BB	1.60 2.00	1.40	
florida rubra—RED FLOWERING DOGWOOD 30' 3-4' B&B 2.50 4-5' B&B 3.50 5-6' B&B 4.00	May		
CRATAEGUS—Hawthorn			
coccinea SCARLET FRUITED HAWTHORN 5-6' 1.50 6-8' 2.00 8-10' 2.50	1.30 1.80 2.20	1.60 2.00	
cordata—WASHINGTON THORN 30' May-June Beautiful fall coloring. Clusters of small, bright red berries. Upright habit of growth. fine for hedging.			
3-4'	.90 1.35 1.80	.80 1.20 1.60	
crusgalli—COCKSPUR THORN 40' May-June Branches wide spreading. The red fruit often remains on the branches till spring. Glossy leaves, assuming orange and scarlet colors in fall.			
3-4'	.90 1.35	.80 1.20	.70 1.05
cuneata Spreading habit, red fruit.			
3-4'	.67 .90 1.10	.60 .80 1.00	.70

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CRATAEGUS—Hawthorn			
mollis—DOWNY HAWTHORN 30' April-May			
One of the most decorative Hawthorns with			
large leaves. The showy fruits drop after			
ripening.			
2-3'	.49	.44	.38
3-4'	.67	.60	.52
4-5'	.90	.80	.70
5-6'	1.10 1.55	$1.00 \\ 1.40$.85 1.20
6-8'	1.55	1.40	1.20
oxyacantha—ENGLISH HAWTHORN 15' May			
Fragrant white flowers followed by scarlet			
fruits.			
3-4'	.45	.40	
4-5'	.67	.60	
5-6'	.75		
6-8'			
8-10'			
10-12'			
oxyacantha splendens —PAUL SCARLET THORN	15' May		
Double rose flowers.			
3-4'			
5-6'			
punctata —DOTTED HAWTHORN 30' May			
Broad-headed tree, white flowers, red fruit.			
3-4'	.65		
4-5'	.85		
5-6'	1.25		
tomentosa 20' May			
Spreading small tree, gray bark, elongated			
red fruit			
3-4'	.65	.50	
4-5'	.85	. 7 5	
FAGUS—Beech			
sylvatica—EUROPEAN BEECH 80'			
Light gray bark. The leaves turn yellow in			
fall and remain on the tree nearly all winter.			
4-5' B&B			
5-6' B&B			
8-10' BB9.00			
FRAXINUS—Ash			
americana—AMERICAN ASH 75'			
Also called White Ash. A good tree for			
street planting.			
6-8'	.65	.55	.50
8-10'	1.00	.90	
11/4-11/2"	1.25	1.15	
1 ½-1 ¾''	1.80	1.60	
13/4-2"	2.25	2.00	
2-2 \(\frac{1}{2}\)'' \(\dots \dots \	2.70	2.40	
$2^{1/2}-3'$ 4.00	3.60	3.20	

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
GLEDITSIA	LACII	Lacii	LACII
triacanthos—HONEYLOCUST 90'			
Long lived, hardy tree, thorny. Large pods			
of seeds.			
6-8'	1.00	.85	.75
8-10'	1.50	1.25	1.10
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1.75 2.25	1.50 2.00	
2-21/2"	2.75	2.00	
GYMNOCLADUS			
dioica— KENTUCKY COFFEE TREE 100'			
Large compound leaves, ascending branches.			
3-4'	.45		
4-5'	.70	.60	
LIRIODENDRON			
tulipifera—TULIPTREE 70'			
Clean, straight trunk, excellent street tree.			
Tulip shaped flowers, green and orange.			
Spring planting only.			
6-8'	1.00	.90	
8-10'	1.25		
MAGNOLIA			
soulangeana—SAUCER MAGNOLIA 20'			
Flower petals creamy white inside, rosy			
pink outside. Blooms in March. 3-4' B&B			
4-5' B&B			
MALUS—Flowering Crab			
arnoldiana—ARNOLD CRAB 12'			
Single pink flowers, yellow fruit.			
2-3'	.27		
3-4'	.36	.32	
4-5'	.45	.40	
baccata—SIBERIAN CRAB 30'			
Single white flowers, red or yellow fruit.			
6-8'	.90	.80	.70
coronaria—WILD SWEET CRAB 30'			
Delicate pink, single, fragrant.			
2-3'	.27		
314'	.36	.32	
4-5'	.45 .54	.40 .48	
6-7'	.54	.40	
DOLGA 20'			
Pink bud, opens white, large red fruit.			
4-5'	.32	.28	
5-6'	.40	.36	
DR. VAN FLEET			
Pink flowers, fast grower. 5-6'			
6-7'			
0			

l to 9 Each	10 to 29 Each	JO to 249 Each	250 & Up Each
MALUS—Flowering Crab			
eleyi—ELEY CRAB 20'			
Single light red flowers, purple foliage.	.36	.32	
4-5'	.45	.40	
floribundα—JAPANESE FLOWERING CRAB 20°			
Crimson flowers.			
3-4'	.36 .45	.32 .40	
Gloriosa			
3-4'	.67 .90	.60 .80	
halliana parkmani			
3-4'	.54		
ioensis plenα—BECHTEL CRAB 15'			
Double pink flowers.			
18-24"	.31 .35	.28 .32	.28
3-4'	.54	.32 .48	.42
4-5'	.65	.60	.12
5-6'	.90		
pumila niedzwetzkyana—REDVEIN CRAB 20'			
Single red flowers, red fruit.			
3-4'	.36	40	٥٢
4-5'	.45 1.35	.40	.35
2-2½'' B&B	6.70	6.00	
2½-3" B&B10.00	9.00	8.00	
prunifolia fructo coccinea			
Scarlet fruit.	o'r		
2-3'	.27 .36	.32	
· · · · · · · · · · · · · · · · · · ·	.30	.32	
prunifolia rinki—CHINESE APPLE 15' Single white flowers, flushed pink.			
5-6'	.90		
6-8'	1.35		
sargenti—SARGENT CRAB 6'			
Single white flowers, dark red fruit.			
2-3'	.45	.40	
3-4'	.65	.60	
4-5'	.90		
scheideckeri—SCHEIDECKER CRAB 20'			
Semi-double pink flowers, yellow fruit.	.36		
4-5'	.45		
spectabilis—CHINESE FLOWERING CRAB 15'			
Semi-double pink flowers, yellow fruit.			
2-3'	.27		
3-4'	.36	.32	
4-5'	.45		

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
MALUS—Flowering Crab	2001	2001	24011
zumi calocarpa 15'			
Cerise buds opening pink, small red fruit.			
2-3'	.27	.24	
3-4'	.36		
4-5'	.45	.40	
MORUS—Mulberry			
alba pedula—WEEPING MULBERRY			
l yr. heads1.50	1.35	1.20	
PHELODENDRON amurense—Korktree			
5-6'	.45	.40	
6-8'	.65	.60	
PLATANUS—Plane tree	.00	100	
occidentalis—AMERICAN PLANE TREE 130'			
The green and creamy white bark gives a striking appearance.			
6-8'	.90	.80	.70
8-10'	1.10	1.00	.70
$1\frac{1}{4} \cdot 1\frac{1}{2}$	1.55	1.40	
$1\frac{1}{2}\cdot 1\frac{3}{4}$	2.00	1.80	
13/4-2"	2.45	2.20	
2-21/2"	2.90	2.60	
2½-3′′	4.00	3.60	
3-31/2"	5.40	4.80	
POPULUS—Poplar			
bolleana—BOLLEANA POPLAR 60'			
Green bark, silvery foliage.			
6-8'	.55		
8-10'	.65	.60	
$1\frac{1}{4} - 1\frac{1}{2}$ "	.90	.80	
1 1/2-2"	1.30	1.20	
2-21/2"2.00			
eugenei—CAROLINA POPLAR 100'			
A large spreading tree; fast grower.			
8-10'60	.55		
$1\frac{1}{4} - 1\frac{1}{2}$.80	.70	
$1\frac{1}{2}$ -2"	1.10		
2-21/2"1.75			
nigra italica—LOMBARDY POPLAR 80'			
Pyramidal habit, often used for screens.			
6-8'	.30	.25	
8-10'	.40	.30	
11/4-11/2"	.45	.35	
1½-2"	.67	.60	
2-2½"			
simoni—SIMON POPLAR 25'			
Outline similar to Lombardy Poplar but			
broader. Much smaller and with shiny leaves.			
5-6'	.35	.30	
6.8′	.45	.40	.35
8-10'	.65	.60	
$1^{1/4} - 1^{1/2}$.90	.80	
=			

TREES	THE MC	ONROEN	URSER
l to 9 Each	10 to 29 Each	30 to 249 Earch	250 & U Each
PRUNUS			
americana—AMERICAN PLUM 20'			
Attractive large fruit, edible.	4.5	40	
5-6'	.45 .67	.40 .60	
6-8'	.90	.80	
americana—newport—PURPLE-LEAVED AMERICA	.N PLUM .27	.25	
2-3'	.35	.30	
4-5'	.45	.40	
5-6'			
seroting-WILD BLACK CHERRY 60'			
White flowers in long racemes, small black			
fruit.			
5-6'	.45		
6-8'	.65		
8-10'	.90		
subhirtella pendula—ROSEBUD WEEPING CHERR	Y		
Drooping branches covered with rose flow-			
ers 5-6' 1 Year Heads2.25			
trilobaFLOWERING PLUM 10'			
Rosettes of double pink flowers.	.50	.45	
4-5'	.60	.55	
INDINICAL DI OLIMBINIA GUEDDINA			
JAPANESE FLOWERING CHERRIES			
Treeform Kwanzan			
2-3'	.45		
3-4'	.65	.60	
4-5'	.90	.80	
5-6'	1.10	1.00	
Bushform			
Kofugen, double, deep pink.			
Shirofugen, semi-double, pale pink.			
6-8'			
PTELEA			
trifoliata—HOPTREE			
4-5'	.27	.24	
5-6'35	.32	.28	
6-8'	.36	.32	
ROBINIA			
pseudoacacia.—BLACK LOCUST 80'			
Fast growing, fragrant white flowers in			
hanging racemes.			
$1^{1/4} - 1^{1/2}$	1.35		
1½-2"	1.80		
$2 \cdot 2^{1/2}$	2.25		
$2^{1/2}-3''$	2.75		

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
SALIX—Willow				
alba—WHITE WILLOW 60'				
A large upright tree. Branches somewha	t			
pendulous.				
8-10′		.90	.80	
11/4-11/2"		1.15	1.00	
1½-2"		1.35	1.20	
babylonica—BABYLON WEEPING WILLO	W 40			
Long slender olive-green branches. 6-8'	75	.65	.60	
8-10'		.90	.80	.70
$1\frac{1}{4}$ - $1\frac{1}{2}$ "		1.15	.00	.70
	50'	1.10		
Long narrow shiny leaves.	00			
5-6'	40	.35	.30	
6-8'		.65	.60	
8-10'		.90	.80	.70
11/4-11/2"		1.15		*** -
discolor—PUSSY WILLOW 15'				
Large catkins. Fine for cutting.				
3-4'	35	.31	.28	
4-5'	50	.45		
5-6′	75	.65	.60	
6-8'		.90	.80	.70
elegantissima—THURLOW WEEPING WIL	LOW	50'		
Yellow bark, fast grower.				
6-8′		.65	.60	
8-10'		.90	.80	.70
1 1/4-1 1/2"		1.15		
1 1/2-2"	.1.50	1.35		
Niobe—GOLDEN WEEPING WILLOW				
Very hardy, yellow bark.				
5-6'		.36	.32	.28
6-8′		.65	.60	
8-10'		.90	.80	
1 1/4-1 1/2"	. 1.25			
pentandra—LAURELLEAF WILLOW 30'				
Glossy foliage, round head.				
6-8'		.65	.60	
8-10′	. 1.00	.90	.80	
SORBUS-Mountain Ash				
americana—AMERICAN MOUNTAIN ASH				
Small tree with bright red fruit.	1.00	00	00	
4-5'		.90	.80	
5-6'		1.10	1.00	
aucuparia—EUROPEAN MOUNTAIN ASH	40′			
Scarlet berries in August and September.		0.77	0.0	
5-6'		.67	.60	
6-8'		.90	.80	
8-10'				
11/4-11/2"				
1½-2"				
2-21/2"	. 5.00			

INELS	I II E MC	MACEN	UNSERI
1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
TILIA—Linden			
americana—AMERICAN LINDEN 75'			
Fast growing tree with large leaves. Yellow			
flowers in June.			
1 1/2-2"			
ULMUS—Elm			
americana—AMERICAN ELM 100'			
Best known American tree.			
6-8′	.65	.60	.55
8-10'	.90	.80	.70
$1^{1/4} - 1^{1/2}$	1.35	1.20	1.05
$1^{1/2}-1^{3/4}$	1.80	1.60	1.40
$1\frac{3}{4}$ -2"	2.25	2.00	1.75
2-21/2"	2.70	2.40	2.10
$2\frac{1}{2}$ -3"	3.15	2.80	
$3-3\frac{1}{2}$	4.50	4.00	
31/2-4"6.00	5.40		
MOLINE ELM 80'			
Smooth bark, large foliage.			
6-8'	.80	.70	.65
8-10'	1.10	1.00	.90
$1\frac{1}{4} \cdot 1\frac{1}{2}$	1.55	1.40	1.25
$1\frac{1}{2} - 1\frac{3}{4}$ "	2.00 2.50	1.75 2.20	1.60 2.00
2-21/2"	2.90	2.60	2.50
$2^{1/2} - 3^{1$	2.30	2.00	2.50
2,23			
VASE ELM 50'			
Vase shaped type of American Elm.			
6-8'	.80	.70	
8-10'	1.10	1.00	
$1\frac{1}{4}$ - $1\frac{1}{2}$ "	1.55	1.40	
1½-1¾"	2.00	1.75	
13/4-2"	2.50	2.20	
$2 \cdot 2^{1/2}$ 3.25 $2^{1/2} \cdot 3$ 4.00	2.90	2.60	
2 72-34.00			
pumila—CHINESE ELM 50'			
Fast growing tree, compact habit of growth.			
6-8'	.65		
$1^{1/4}$ - $1^{1/2}$ "	1.30	1.20	1.00
1 1/2-1 3/4"	1.80	1.60	1.40
13/4-2"2.50	2.25	2.00	
$2-2\frac{1}{2}$	2.70	2.40	
2 ½-3"	3.15	2.80	
3-3 ½"	4.00		
31/2-4"			
$4.4\frac{1}{2}$ 8.50 $4\frac{1}{2}.5$ 12.00			
472-5			

EVERGREENS

LVLIGILLING				
1 to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each	
JUNIPERUS—Juniper				
chinensis albovariegata—WHITELEAF CHINESE Slow growing, coneshaped with white-	JUNIPER	12'		
yellow tips.				
15-18''	1.35 1.80	1.20 1.60		
chinensis columnaris—CHINESE COLUMN JUNIPE A tall narrow variety of Juniperus chinensis. 2½-3'	ER			
chinensis keteleeri — KETELEER JUNIPER 20'				
Gray-green foliage, very straight, large berries.				
perries. $2^{1/2}-3'$	2.50	2.20		
3-4'	3.25	3.00		
6-7'				
chinensis pfitzeriana—PFITZER JUNIPER 6'				
Spreading type with blue-green foliage.	1.55	1.40	1.00	
15-18"	1.55 2.00	1.40 1.80	1.20 1.75	
2-21/2'	2.25	2.00	21.70	
$2\frac{1}{2} \cdot 3^{2} \cdot 3 \cdot 3 \cdot 25$ $3 \cdot 4^{2} \cdot 4 \cdot 50$	3.00	2.75	2.50	
chinensis sargenti—SARGENT JUNIPER 1'				
A green, spreading Juniper used as				
ground cover. 12-15"	1.10	1.00		
12-15"	1.10 1.55	1.00 1.40		
18-24''	2.00	1.80		
commums depressa—COMMON JUNIPER 4'				
Spreading, gray-green foliage.	1.80			
2-3'	2.25			
communis hibernicα—IRISH JUNIPER 10'				
Form a narrow column. 18-24"	.90	.85		
$2 - 2 \frac{1}{2}$	1.15	1.00		
excelsa stricta—SPINY GREEK JUNIPER 5				
Cone shaped evergreen wih broad base.	0.0	0.0		
12-15"	.90 1.35	.80 1.20		
horizontalis—-CREEPING JUNIPER 1½	1.00	1.20		
Low creeper, dark green foliage.				
15-18"	1.35	1.20	1.40	
18-24''	1.80	1.60	1.40	
horizontalis glauca—BLUE CREEPING JUNIPER	1 1/2'			
A blue variety.				
15-18"	1.35	1.20		

1 to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
JUNIPERUS—Juniper			
horizontalis depressa plumosa—ANDORRA JUNII	PER 1'		
Creeping evergreen, foliage purple in winter 18-24"1.50	1.35	1.20	
2-3'	1.80	1.60	1.40
japonica erecta—UPRIGHT JAPANESE JUNI P ER	5'	2.00	1.10
Vase-shaped Juniper, dark green.			
18-24"	2.00	1.80	
2-3'	2.20	2.00	1.80
japonica gracilis 4'			
Not as upright as variety erecta, grace-			
ful arching branches. 18-24"	2.00	1.80	
2-3'	2.25	2.00	1.75
sabina—SAVIN JUNIPER 4	2.20	1.00	1.70
Spreading plant, dark green.			
15-18"	1.40	1.30	1.20
18-24"	1.80	1.70	1.60
$2 \cdot 2^{1/2}$ '	2.25 2.75	2.10 2.60	2.00 2.50
2½-3′	2.75	2.00	2.50
sabina tamariscifolia 2' A low compact Juniper with fine needles.			
15-18"	1.80	1.60	1.40
18-24"	2.25	2.00	1.75
scopulorum—CHANDLER SILVER			
Improved variety. Silvery blue color			
2-3'	2.00	1.80	
sphaerica—FORTUNE REDCEDAR Grayish green foliage, irregular upright			
grower.			
3-4'	2.70		
4-5'	3.60		
5-6′5.00	4.50		
squamata l'			
Thick branches with crowded needles, bluish-green, spreading.			
18-24"	1.80	1.60	
2-3'	2.25	2.00	
squamata meyeri—MEYER JUNIPER 5'			
Bluish color, spreading.			
15-18"	1.55	1.40	
18-24"2.00	1.80		
virginiana—REDCEDAR 60'			
2-3'1.75	1.55	1.40	
3-4'	2.20		
	4.00		
virginiana cannarti—CANNART REDCEDAR 15 Dark green foliage, small blue berries.	,		
$2\frac{1}{2} \cdot 3'$	2.45	2.20	
3-4'	3.25	3.00	

	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
JUNIPERUS—Juniper virginiana elegantissima lee Shaped like Pfitzer Juniper with yello	W			
tips. $2-2\frac{1}{2}$. 2.50	2.25	2.00	
virginiana glauca—SILVER REDCEDAR Much used for color contrasts. 2½-3'	2.75			
virginiana pendula —WEEPING RED CE Dark green, drooping foliage. 4-5'		3.15	2.80	
virginiana schotti—SCHOTT REDCEDAR Foliage bright green to yellow.	12'			
2½-3'		2.45 3.25	2.20 3.00	
virginiana smithi—SMITH REDCEDAR Slow growing, light green.				
18-24"	2.00	1.80	1.60	1.40
PICEA—Spruce canadensis albertiana—BLACK HILL SPR	UCE			
Dense growing, bluish tint. 15-18"	1.75	1.10 1.55 2.00	1.00 1.40 1.80	.85 1.20 1.60
excelsa—NORWAY SPRUCE 80' Sharp, pointed green needles.				
18·24" 2-3' 10-12' 12-14' 14-16' 16-18'	1.75 17.50 23.50 30.00	1.10 1.50	1.00 1.35	1.25
orientalis—ORIENTAL SPRUCE 100' Short, shiny needles, slow growing. 18-24"				
2-3'	2.50			
9-10' 10-11' 11-12' 12-13' 13-14'	.30.00 .32.50 .35.00			
PINUS—Pine montana mughus—MUGHO PINE 4'				
Dwarf, round and compact. 12-15" 15-18"		1.10 1.35	1.00	

1 to 5 Each	6 to 10 Each		30 & up Each
PINE—Pinus	Lucii	Lucii	Lucii
nigra austriaca—AUSTRIAN PINE 70' Deep green color, long needles. Symmetrical			
shape. 2-3'			
ponderosa—WESTERN YELLOW PINE 100' Opener than Austrian Pine, fast grower. 10-12'			
12-14'			
Long blue green needles, smooth bark. 10-12'			
sylvestris—SCOTCH PINE 70' Light green needles, reddish bark. Unsym-			
metrical rugged appearance. 2.3' 1.75 3.4' 2.25 10-12' 17.50 12-14' 23.50 14-16' 30.00 16-18' 37.50			
RETINOSPORA—Chamaecyparis			
obtusa gracilis			
Low growing, very graceful.			
15-18"			
pisifera—SAWARA CYPRESS			
4-5'			
pisifera aurea—GOLDEN SAWARA CYPRESS 3-4' 3.00 4-5' 3.50 5-6' 4.00			
pisifera filifera—THREAD—RETINOSPORA $2^{1/2}$ -3'			
TAXUS—Yew			
canadensis—CANADIAN YEW 3' Wide spreading, slender branches, short			
needles. 15-18"			
cuspidata—SPREADING JAPANESE YEW 6' Dark green needles.			
15-18"			1.75

	to 5 ach	6 to 10 Each	11 to 30 Each	30 & up Each
TAXUS—Yew cuspidata capitata—UPRIGHT JAPANESE YE				
An upright form. 2½-3'	3 75			
$3 \cdot 3 \cdot 3 \cdot 2'$ 5. 3 \(\lambda 2 \cdot 4'\) 6. 4 \(4 \lambda 2' \cdot 2'\) 7.	5.00 6.00			
cuspidata nana—DWARF JAPANESE YEW Very dark color, extremely slow growing.				
15-18"		2.40	2.30	2.25
cuspidata nana erecta—UPRIGHT DWARF J. 18-24"	2.50	2.35 3.15	2.25 3.00	
THUJA—Arborvitae				
occidentalis—AMERICAN ARBORVITAE 40 Fine for formal hedges. Also used for screens.)'			
7-8'	7.50 0.00 3.50			
14-16'		T. T. 41		
occidentalis compacta—PARSON GLOBE ARE Bright green in color 12-15''		AE 4		
15-18"1				
occidentalis douglasi—DOUGLAS ARBORVIT Handsome curly foliage, light and dark green contrasts. Pyramidai shape.	TAE 25	j'		
7-8 ′	7.50			
occidentalis elegantissima—GOLDTIP ARBO Branches have yellow tips, most noticeable in Spring. Pyramidal form.	DRVITA	E 15'		
18-24''	1.75	1.35 1.55 2.25		
occidentalis lutea—GEORGE PEABODY ARB Growth resembling American Arborvitae. Bright yellow.	ORVITA	AE 15'		
3-4'				
occidentalis pyramidalis—PYRAMIDAL ARBO Very compact.			1.00	
18-24''		1.10 1.40	1.00 1.30	1.25
21/2-3'	.75	1.65	1.55	1.50
3-4'	7.50	2.15	2.00	
9-10'				

EV ER CREETE		JAN TO E IV	OUSPY
l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
THUJA—Arborvitae occidentalis vervaeneana—VERVAENE ARBORV Bushy compact, and broad at base and top. 8-10'	/ITAE 10'		
occidentalis wareana—SIBERIAN OR WARE ARI Blue green color, cone shaped, slow grower. $2 \cdot 2^{1/2}$ ' 1.75 $2^{1/2} \cdot 3^{2}$ 2.25 $3 \cdot 3^{1/2}$ ' 2.75 $3^{1/2} \cdot 4^{2}$ 3.25	BORVITAE	15′	
occidentalis woodwardi—WOODWARD ARBORV Perfectly round, no trimming required. 12-15"	VITAE 6'		
orientalis—CHINESE ARBORVITAE 25' 2-3' 1.50 3-4' 2.00	1.40 1.90	1.30 1.80	1.25 1.70
orientalis aurea nana—BERKMAN ARBORVITA Dwarf, light yellow, compact. 9-12"	E		
orientalis bakeri—BAKER ARBORVITAE 7' Pyramidal form, dark green color. 15-18"			
orientalis bonita 4' Light green, otherwise resembling Berkman Arborvitae. 15-18"			
plicata—GIANT ARBORVITAE 200' Tall growing tree, short horizontal branches. 3.4'			
TSUGA—Hemlock canadensis—CANADIAN HEMLOCK 75'			
Light green needles. 18-24"	1.55 2.00 2.50	1.40 1.80 2.25	1.25 1.75 2.00

BROAD LEAVED EVERGREENS

1 to 9 Each		30 to 249 Each	250 & Up Each
BUXUS—Boxwood sempervirens—COMMON BOXWOOD	Eden	Buen	Eden
3-3½' Heavy Plants			
sempervirens suffruticos α —DWARF BOXWOOD 2-2-1/2')		
DAPHNE			
cneorum—GARLAND FLOWER 1' April-May Dwarf bush, evergreen shrub. Rosettes of fragrant pink flowers.			
6-9" B&B	.55 .75		
EUONYMUS			
patens 10' Good shrub for winter effect. Holds leaves			
till spring. Slow growing and compact. 12-18"	.45	.40	
18-24" .60 2-3' .75			
3-4'	1.25		
radicans—WINTER CREEPER 15' Can be used as vine or for edging or ground			
cover. Evergreen. 12-15"	.27 .31	.24 .28	
radicans vegetus—BIG LEAF WINTERCREEPER Large glossy green foliage, scarlet berries.	20'		
Evergreen. 12-15'' .40 15-18'' .50	.35 .40	.30 .35	
MAHONIA			
aquifolium—OREGON HOLLY GRAPE 5' May Likes shady location. The shiny dark green leaves turn bronze in fall and remain on the stems all winter. Blue berries.			
15-18"	1.35 1.55		
PYRACANTHA			
coccinea—FIRETHORN Orange and red berries in winter. 18-24" B&B	1.10		
18-24 B&B	1.35		

VINES

AMPELOPSIS	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
aconitifolia Deeply cut foliage, orange berries. 3 Year No. 1	50	.45		
heterophylla—PORCELAIN IVY Fruit changing from lilac to light green blue and white. 3 Year No. 1		.45		
tricuspidata (veitchi)—BOSTON IVY 50' Clings to brick or stone walls. In wide use 2 Year No. 1		.20	.17	.15
tricuspidata lowi—GERANIUM CREEPER Small leaves, turning bright red in fall. Slow growing. Climbs on brick. 2½" Pots		.18	.15	.14
quinquefolia—VIRGINIA CREEPER Fast growing, no tendrils. For fences, structures and ground cover. 2 Year No. 1		.18	.15	
ARISTOLOCHIA sypho—DUTCHMAN'S PIPE 30' Large, round leaves, flowers resembling pipes.		40	25	
2-3'	50	.40	.35	
BIGNONIA radicans—TRUMPET CREEPER 30' Scarlet, trumpet-shaped flowers in July. No. 1		.18 .12	.15	
CELASTRUS orbiculatus—ORIENTAL BITTERSWEET 40 The orange and scarlet fruits cling close to the stem.)			
2 Year No. 1	15	.18 .12	. 15 .10	
scandens—AMERICAN BITTERSWEET 25' The red berries retain their color and are popular for cutting. 2 Year No. 1	20	.18	.15	
2 1ear No. 172	13	.12	.10	

l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CLEMATIS—Large flowering varieties	Lucii	Lucii	Lacii
2 Year No. 1	.40		
paniculata—SWEET AUTUMN CLEMATIS 30' White fragrant flowers. 2 Year No. 1	.22	.20	
HEDERA helix—ENGLISH IVY 2½" pots	.12	.10	
helix baltica—HARDY ENGLISH IVY Small leaved variety. Will climb on brick. 2½" Pots	.12	.10	
LONICERA—Honeysuckle			
GOLD FLAME Coral flowers, clear yellow inside. 2 Year No. 1	.35 25′	.30	
wires. Extra heavy .20 2 Year No. 1 .15 No. 1½ .12 No. 2 .10	.18 .12 .10	.10 .08 .06	.09
sempervirens—SCARLET TRUMPET HONEYSUCK Long scarlet flowers. 2 Year No. 1 .20 No. 1½ .15	LE 30 .18 .12		
POLYGONUM auberti—SILVERLACE VINE 30' Large sprigs of white flowers, fast growing.			
2 Year No. 1	.25 .22 .18		
WISTERIA sinensis—CHINESE PURPLE WISTERIA 40' Long clusters of flowers in May.			
2 Year No. 1	.35		
sinensis alba—CHINESE WHITE WISTERIA 40' A white flowering variety. 2 Year No. 1	.35		
Wisterias with heavy canes grown in bush form, all have bloomed. 4 x 4' B&B. 4.00 5 x 5' B&B. 5.00 6 x 6' B&B. 6.00	3.60 4.50		

HYBRID TEA ROSES

Prices are for quantities of the same variety and grade.

	l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up
2 Year No. 1	40	.35	.30	.28
2 Year No. $1\frac{1}{2}$.25	.22	.20
AMI QUINARD			.Dark Vel	vety Red
BETTY UPRICHARD			Orange	Carmine
CALEDONIA				White
CONDESA DE SASTAGO			Red and	d Yellow
DAME EDITH HELEN			Large 1	Pure Pink
EDITH NELLIE PERKINS			Sαlı	non Pink
EDITOR McFARLAND			Do	eep Pink
E. G. HILL				Scarlet
ETOILE D'HOLLANDE				Dark Red
GOLDEN RAPTURE			Ric	h Yellow
GRUSS AN TEPLITZ			\dots Ch	erry Red
INDEPENDENCE DAY			Orange	and Pink
JOANNA HILL			India	n Yellow
KAISERIN A. VICTORIA			Crear	ny White
LORD CHARLEMONT			Deep	Crimson
MARGARET McGREDY		Brilliant	Red, Gol	den Base
MISS ROWENA THOM			Pink and	Old Gold
MME. JOSEPH PERRAUD			Coppe	r Yellow
MME. JULES BOUCHE				
MRS. CHARLES BELL				
PRESIDENT HOOVER				
RADIANCE				
RED RADIANCE				
SOUVENIR DE CLAUDIUS PERNET				
TALISMAN				
VICTORIA HARRINGTON				
VILLE DE PARIS				
WHITE KILLARNEY	• • • • • • • •			White

HYBRID PERPETUAL ROSES

	l to 5 Each	6 to 10 Each	11 to 30 Each	30 & up Each
2 Year No. 1	40	.35	.30	
2 Year No. 1½	30	.25	.20	
FRAU KARL DRUSCHKI				White
DAIII NEVDON				To: 1

CLIMBING ROSES

			l to 9 Each	10 to 29 Each	30 & Up Each	
2 Y	ear No. 1		40	.35	.30	
2 Y	ear No. 1½		30	.25	.20	
DOROTHY I DR. VAN FL MME. GREG PAUL'S SCA PRIMROSE	AMERICAN BEAPERKINS EET OIRE STAECHE ARLET CLIMBER	LIN			Sh	ell Pink esh Pink Crimson .Scarlet .Yellow

POLYANTHA ROSES

1 to 9 10 to 29 30 & Up

	Each	Each	Each
2 Year No. 1	40	.35	.30
2 Year No. 1½	30	.25	.20
ELSE POULSEN			Pink
GOLDEN SALMON			Orange
IDEAL			Dark Red
KATHERINE ZEIMET			White
KIRSTEN POULSEN			Bright Scarlet

RUGOSA, HYBRID RUGOSA and MISCELLANEOUS ROSES

F. J. Grootendorst Bright red flowers in clusters. 2 Year No. 1	0 .28	.25
hugonis—GOLDEN ROSE OF CHINA Profusion of yellow flowers. 2 Year No. 1	.22	.20
rubiginosa—SWEETBRIAR ROSE Pink flowers, orange colored fruit. 2 Year No. 1	.18	.15
rubrifolia—REDLEAF ROSE 2 Year No. 1	5 .22	.20
rugosa—PINK RUGOSA ROSE Early single pink flowers, large fruit. 2 Year No. 1	0 .28	.25
setigera—PRAIRIE ROSE 2 Year No. 1½	.18	.15
wichuriana—WICHURIAN ROSE 2 Year No. 1	5 .22	.20

PERENNIALS CHRYSANTHEMUMS

3 to 9 0 U & 01 Each Each CHRYSANTHEMUM MAXIMUM—Shasta Daisy Large white flowers, bloom all summer and foll .10 Orange vellow flowers in October. EARLY BRONZE 11/2' Pompon Type.......12 .10 Bronze yellow, free blooming early flowering. Late August to frost. .10 Copper-red October. .10 Bronze, button type flowers in October. MURILLO 2'10 Best shade of pink among the early hardies. .10 Coppery orange changing to golden vellow. R. MARION HATTON Pompon Type12 .10 Canary-yellow flowers. An exceptional free bloomer starting late September. It is remarkably resistant to frost. 10 Yellow flowers in mid-October. .10 A rosy crimson shade. Flowering about October first. YELLOW NORMANDIE10 Light bronzy yellow flowers, for early October. CHRYSANTHEMUMS-Hardy Korean APOLLO 21/2'10 Sparkling combination of bronze, red and gold suffused with glowing salmon. October. CERES 2'10 Brilliant combination of old-gold, chamois yellow and soft coppery bronze. DAPHNE 2'10 Daphne-pink, with an underlying sheen of lilac-rose and soft salmon. .10 Deep amaranth-red changing to wine red, overlaid with a velvety green.

3 to Eacl		
IRIS GERMANICA—German Iris AMBASSADEUR 40" L	.05	
CINNABAR 36" M	.10	
DOLLY MADISON 38" E	.10	
GRACE STURTEVANT 28" L	.20	
KATHARINE McFARLAND 20" L	.10	
KING TUT 28" M-L	.17	
MARY BARNETT 36" M	.12	
MRS. VALERIE WEST 40" M	.12	
PINK SATIN 38" M	.20	
PLUIE D'OR 32'' M	.10	
PRINCESS BEATRICE 38" E	.05	
SOUVENIR DE MME. GAUDICHAN 36" E12 Old purple with blue beard.	.10	
IRIS PUMILA—Dwarf Iris These Irises rarely grow over six inches in height and bloom in April and May. atroviolacea	.05	
azurea	.05	
DITTONS PURPLE	.10	
FLORIDA12 Primrose yellow.	.10	
MAROCAIN	.10	
THE BRIDE	.10	

PERENNIALS	THE MONROE NO
3 to 9 Each	10 & Up Each
IRIS SIBERICA—Siberian Iris EMPEROR 45" M	.12
Deep violet.	
KINGFISHER BLUE 36" M	.10
LLEWELLYN 40" M	.30
PERRYS BLUE 36"	.10
WHITE DOVE 48" M	.12
PHLOX DECUSSATA	
COLONIAL10 Very large light blue flowers.	.08
ECLAIREUR	.08
FEUERBRAND	.10
LEO SCHLAGETER	.12
RHEINLANDER	.08
RIJNSTROOM	.08
THOR	.10
WIDAR	.10
PHLOX SUBULATA	
amoena 4"	.10
lilacina	.10
roseα	.10
VIVID	.10

FRUIT TREES STANDARD APPLES

2 years, budded

Prices are for quantities of a grade and variety.

l to 9 Each		30 to 249 Each	
11/16" and up	.30	.27	.25
9/16"-11/16"	.25	.22	.20
7/16"-9/16"	.20	.18	.16

BALDWIN—Large, bright red, fine for cooking and eating. November.

BANANA—Large, pale yellow with red blush, tender. October.

CRIMSON BEAUTY—Productive annual bearer, red. July

DUCHESS—Medium, red striped, cooking apple. August.

EARLY HARVEST—Medium, yellow, excellent for eating. July.

FAMEUSE—Snow apple, medium, red striped, for eating. October.

GALLIA BEAUTY—Red Rome, solid red, medium. November.

IONATHAN—Medium, dark red. November.

KING-Large, fine for cooking. October.

KIRBY—Medium, deep red, improved Delicious. November.

LODI-Improved Yellow Transparent. July.

McINTOSH-Medium, red. October

MAIDEN BLUSH-Yellow, crimson cheek. September.

NORTHERN SPY-Large, bright red, striped. November.

RAMBO-Medium, pale green. November.

RED DELICIOUS—Large, red, excellent eating apple. November.

RED SPY-Large, bright red. November.

R.I.GREENING—Large, green, cooking apple. December.

STAYMAN—Medium, red. December.

STEELE RED-Juicy, fine flavor, yellow, striped deep red. November.

SWEET BOUGH—Pale yellow, sweet. August.

TURLEY-Large, dark red, winesap. December.

WAGENER-Bright red and vellow, medium. October.

WEALTHY-Medium, bright red. October.

WINESAP—Medium, early and regular bearer. December.

CRAB APPLES

2 years, budded.

			30 to 249 Each	
11/16" and up	.35	.30	.27	.25
9/16"-11/16"		.25	.22	.20
7/16"-9/16"	.25	.20	.18	.16

DOLGA-Crimson. September.

HYSLOP—Dark red. September.

MARTHA-Bright light red. September.

WHITNEY-Striped red. August-September.

STANDARD PEARS

2 years, budded.

	10 to 29		
Each	Each	Each	Each
11/16" and up	.35	.32	.30
9/16-11/16"	.27	.25	.23
7/16-9/16"	.22	.20	.18

BARTLETT-Yellow with red blush. September.

BOSC-Tapering neck, yellow and russett. October

CLAPP-Lemon yellow, dotted crimson. August.

CAMPAS-Blight resistant Kieffer. Early bearer.

CONFERENCE—Shining green, dotted russett. October.

FLEMISH BEAUTY—Clear yellow with red blush. September.

GORHAM—Resembles Bartlett but two weeks later. Good keeper.

KIEFFER-Yellow, blushed dull red. October.

SHELDON—Greenish-yellow, slightly russeted. September.

WILDER-Bright yellow, flaming cheek. August.

SOUR CHERRIES

2 years and 1 year on Mahaleb

l to 9 Each	30 to 249 Each	
11/16" and up		
9/16-11/16"		
EARLY RICHMOND—Early, medium size, light red.		

ENGLISH MORELLO—Late, very dark red.

MONTMORENCY—Large red sour cherry, midseason.

SWEET CHERRIES

2 years and 1 year

	1 to 9	10 to 29	3 0 to 249	250 & Up
	Each	Each	Each	Each
11/16" and up	60			
9/16-11/16"	50			
7/16-9/16"	40			
NAPOLEON—Yellow				

APRICOTS

2 years on Plum

		10 to 29	
		Each	Each
11/16" and up	50	.45	

ALEXIS-Large, yellowish-red. July.

EARLY GOLDEN—Heavy bearer, small, freestone. July.

EARLY MONTGAMET-Large, freestone. Early July.

LAMALE Deep yellow. July.

PEACHES

	10 to 29 Each		
11/16" and up	.25	.20	.18
9/16"-11/16"	.20	.18	.16
7/16"-9/16"	.16	.14	.12
5/16"-7/16"	.12	.10	.08

Ripening dates are those of the South Haven, Michigan area and are approximate and relative.

Y—Yellow F—Freestone W—White C—Clinastone

SF—Semifreestone

ADMIRAL DEWEY YF-July 28th to August 5th.

AMBER GEM YC—August 28th to September 8th.

BANNER YF—September 30th to October 5th.

CUMBERLAND WF—August 5th to August 12th

ELBERTA YF-September 10th to September 20th.

EARLY ELBERTA YF-September 5th to September 10th.

EARLY CRAWFORD YF—September 1st to September 5th.

GAGE ELBERTA YF-September 10th to September 20th

GOLDEN JUBILEE YF-August 15th to August 20th.

GOLD DROP YF-September 25th to October 1st.

HALEHAVEN YF-August 25th to August 30th.

J. H. HALE YF-September 5th to September 10th.

KALHAVEN YF-September 7th to September 15th.

KALAMAZOO YF—September 20th to September 30th.

MIKADO YSF—August 1st to August 5th.

NEW PROLIFIC YF—September 1st to September 5th.

ORIOLE YF-August 5th to August 10th.

ROCHESTER YF-August 15th to August 20th.

SALBERTA YF-October 1st to October 5th.

SHIPPERS LATE RED YF—Large, Elberta, shaped, golden yellow. September 27th,

VALIANT YF-September 1st to September 10th.

VEDETTE YF-August 20th to 25th.

WILMA YF-September 15th to September 25th.

YELLOW ST. JOHN YF-August 10th to August 15th.

PLUMS

2 years on Plum

l to 9 Each		30 to 249 Each	
11/16" and up			
9/16"-11/16"	.35	.30	.25

BRADSHAW-Violet red, large. August.

FELLENBERG—Dark blue, freestone. September.

GERMAN PRUNE-Dark blue, freestone. September.

GRAND DUKE-Dark red, freestone. September.

GREEN GAGE-Greenish yellow, freestone. September.

RED JUNE—Heart-shaped—August.

STANLEY—Large dark blue with heavy bloom, tender, sweet and juicy flesh. Middle of September.

QUINCES

2 Years on Quince

	10 to 29 Each	
\$8" and up		.35

ORANGE

SMALL FRUITS

BLACKBERRIES-No. 1 Suckers

l to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
.06	.05	.04	.03

ALFRED

BLOWERS

ELDORADO

MERSEREAU

RASPBERRIES, Red-No. 1 Suckers

l to 9	10 to 29	30 to 249	250 & Up
Each	Each	Each	Each
.06	.05	.04	.03

CHIEF

CUTHBERT

KING

LATHAM

ST. REGIS

RASPBERRIES, Black and Purple—No. 1 Tips

		30 to 249 Each	
CUMBERLAND	.04	.03	.02
NEW LOGAN	.04	.03	.02
PLUM FARMER	.04	.03	.02

GOOSEBERRIES-2 year No. 1

		10 to 29 Each	
DOWNING, green	25	.22	.20

CURRANTS	Red-2	years	No.	1
----------	-------	-------	-----	---

Committe, nea 2 years no. 1			
l to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
CHERRY	.11	.10	.09
FAY	.11	.10	.09
PERFECTION	.11	.10	.09
WILDER	.11	.10	.09
GRAPES—2 year No. 1			
1 to 9 Each	10 to 29 Each	30 to 249 Each	250 & Up Each
AGAWAM, red	.12	.10	.08
BRIGHTON, red	.12	.10	.08
CACO, red	.18	.16	.14
CATAWBA, red	.12	.10	.08
CONCORD, black	.08	.06	.05
DELAWARE, red	.12	.10	.08
FREDONIA, black	.16	.14	.12
MOORE'S EARLY, black	.12	.10	.08
NIAGARA, white	.10	.08	.07
PORTLAND, white	.16	.14	.12
WORDEN, black	.12	.10	.08
ASPARAGUS—2 year No. 1			
MARTHA WASHINGTON	.03	.02	.011⁄2
RHUBARB—1½-2 in.			
MYATT LINNAEUS	.08	.06	.05
STRAWBERRIES			
STITAWDLITTIES		Per 100	Per 1000
AROMA		1.00	6.50
BLAKEMORE		1.00	6.50
DORSETT		1.00	6.50
DUNLAP		1.00	6.50
FAIRFAX		1.00	6.50
GEM		1.25	8.50
PREMIER		1.00	6.50
MASTADON		2.00	14.00

B & B Price Schedule

For deciduous stock not marked B&B in this price list.

Shrubs and small trees

		1	2	5	25
Diam. of ball	l Plant Size	each	each	each	each
		.50	. 45		.35
12 in.	2 to 3 ft.	. 65	. 58	.52	.46
13 in.	3 to 4 ft.	.80	.72	.64	.56
15 in.	4 to 5 ft.	1.10	1.00	.90	.80
16 in.	5 to 6 ft.	1.70	1.50	1.35	1.15
18 in.	6 to 7 ft.	2.50	2.25	2.00	1.75
20 in.	7 to 8 ft.	3.50	3.15	2.80	2.45
22 in.	8 to 9 ft.	4.50	4.05	3.60	3.15
24 in.	9 to 10 ft.	6.50	5.85	5.20	4.55
	Standard	shade	trees		
18 in.	$1\frac{1}{4}$ to $1\frac{1}{2}$ in.			2.00	1.75
19 in.	1½ to 1¾ in.				2.25
21 in.	13/4 to 2 in.	4.00	3.60	3.20	2.80
24 in.	2 to 2½ in.	6.50	5.85	5.20	4.55
27 in.	$2\frac{1}{2}$ to 3 in.	8.50	7.65	6.80	6.00
30 in.	3 to 3½ in.	10.50	9.50	8.40	7.35
35 in.	$3\frac{1}{2}$ to 4 in.	14.00	12.60	11.20	9.80
40 in.	4 to 4½ in.	17.50	16.75	14.00	12.25
44 in.	$4\frac{1}{2}$ to 5 in.	21.00	19.00	16.80	14.70
48 in.	5 to $5\frac{1}{2}$ in.	24.50	22.00	19.60	17.00
52 in.	$5\frac{1}{2}$ to 6 in.	28.00	25.50	23.50	20.00
56 in.	6 to $6\frac{1}{2}$ in.	32.50	29.25	26.00	22.75
60 in.	$6\frac{1}{2}$ to 7 in.	39.50	35.50	31.60	27.65
64 in.	7 to $7\frac{1}{2}$ in.	47.50	42.75	38.00	33.25
68 in.	$7\frac{1}{2}$ to 8 in.	56.00	50.40	44.80	39.20

Deposit Required on Platforms Supplied with balled trees.

30	х	30"\$1.00
36	х	36"
48	Х	48"
60	х	60"



